No. 1

Original Articles

Myocardial lactate metabolism during pacing induced angina pectoris: *H. Ihlen, S. Simonsen & E. Thaulow* 1
Conditions for augmentation of renin release by theophylline: *Ø. Langård, H. Holdaas, I. Eide & F. Kiil* 9
Decreased peripheral dopaminergic activity in essential hypertension? *S. E. Kjeldsen, B. Flaaten, I. Eide, A. Helgeland, P. Leren & E. Fønstelien* 15
Purification and some properties of a plasma protein which reacts with an antiserum against urinary trypsin inhibitor–1: *S. Maehara, E. Kawashita, H. Sumi & N. Toki* 21
Determination of plasmin-α_2-antiplasmin complex in plasma samples by means of a radioimmunoassay: *B. Wiman, L. Jacobsson, M. Andersson & G. Mellbring*... 27
Intravenous injections of tissue thromboplastin and phospholipase C in rabbits: *Ø. Hetland, B. Johnsen, T. L. Janson & H. Prydz* 35
The effect of fetal pulmonary surfactant production on the apparent microviscosity of amniotic fluid measured by fluorescence polarization: *L. C. Petersen & K. S. Birdi* 41
Leucocyte-associated plasma proteins. Association of prealbumin, albumin, orosomucoid, α_1-antitrypsin, transferrin and haptoglobin with human lymphocytes, monocytes, granulocytes and a promyelocytic leukaemic cell line (HL-60): *M. M. Andersen* 49
Plasma renin substrate and oestrogens in normal pregnancy: *I. Immonen, A. Siimes, U.-H. Stenman, J. Kärkkäinen & F. Fyhrquist* 61
Use of protein A-positive Staphylococci as adsorbent in a radioimmunoassay for cyclic AMP and cyclic GMP: *M. Svenson, A. Lerche & A. Wiik* 67
Corticotropin-induced alkalosis in the weanling rat and its relation to the balance of non-metabolizable base: *S. Wamberg, K. Engel & P. Kildeberg* 73
Vitamin D metabolites in normal subjects during one year. A longitudinal study: *L. Tjellesen & C. Christiansen* 85

Technical Note

Determination of respiratory gases (CO_2, O_2, Ar and N_2) with gas solid chromatography: *U. B. Johansson* 91

Short Communication

High excretion of β-aminoisobutyric acid in patients with ketoacidosis: *S. Landaas & E. Solem* 95

No. 2

Editorial Review

Diagnostic reagent kits—embarras de richesse: *A. Aakvaag, H. Holmberg, E. Leskinen, G. Lindstedt, J. Møller, A. Nyberg & T. Weber* 99

Original Articles

Acid–base status of biological fluids: amount of acid, kind of acid, anion–cation difference, and buffer value: *P. Kildeberg* 103
Metabolism of exogenous adenine in a pyruvate kinase-deficient patient: *T. R. J. Lappin, G. E. Elder & G. A. Savage* 111
Effects of posture on serum cholesterol fractions, cholesterol ratio and triglycerides: *S. E. Kjeldsen, I. Eide, P. Leren & O. P. Foss* 119
Interaction of human erythrocyte acetylcholinesterase with lectins: *R. Ravazzolo, C. Garrè & F. Ajmar* 123
Effects of acute carbon tetrachloride intoxication on kinetics of galactose elimination by perfused rat livers: *H. Vilstrup* 127
Isoelectric focusing of glutathione S-transferases: comparison of the acidic transferases from human liver, kidney, lung, spleen and placenta: *K. Koskelo* 133
Comparison of gamma-glutamyltransferase and other health screening tests in average middle-aged males, heavy drinkers and alcohol non-users: *B. Peterson, E. Trell, H. Kristensson, G. Fex, M. Yettra & B. Hood* 141
Trypsin-inhibitory activities of acid-stable fragments of the inter-alpha-trypsin inhibitor in inflammatory and uraemic conditions: *C. Franck & J. Z. Pedersen* . 151
Determination of sulphate/uronic acid ratios in glycosaminoglycans separated by electrophoresis on cellulose acetate: *J. H. Poulsen* 157
Assay of the major bile acids in serum by isotope dilution–mass spectrometry: *I. Björkhem & O. Falk* 163
Predictive value of a new osmotic test in the screening of heterozygous β-thalassemias: *P. Anichini, G. Reynaudo & G. Pacini* 171

Technical Notes

Effects of metronidazole (Flagyl) on the determination of serum ASAT on the SMA 12/60 Auto Analyser: *R. L. Karlsen, G. Kristiansen & J. H. Solberg* 175
Is the stability of the oxyhaemoglobin dissociation curve in stored blood a function of the way the cells 'pack'? *C. D. R. Dunn, D. J. Boden & L. D. Wallace* 179

Announcement

Optimized use of clinical laboratory data 185

No. 3

Original Articles

Leucocyte glutathione peroxidase activity and selenium level in Batten's disease: *G. E. Jensen & J. Clausen* ... 187
Clinical evaluation of different principles of CK–MB determination: *P. Grande & C. Christiansen* ... 197
Comparison of isocapnic hyperventilation and treadmill exercise in children with exercise-induced asthma: *A. Schmidt, N. Bach-Mortensen & A. Bundgaard* ... 203
Determination of adrenoceptors of the alpha$_2$-subtype on isolated human fat cells: *P. Engfeldt, P. Arner, H. Kimura, H. Wahrenberg & J. Östman* ... 207
Intrinsic factor in human amniotic fluid as determined by radioimmunoassay: *V. Wahlstedt, U.-H. Stenman, K. Ylinen & R. Gräsbeck* ... 215
The sulphate content of dermal and urinary glycosaminoglycans in psoriatics with increased excretion and increased dermal content of glycosaminoglycans: *J. H. Poulsen & M. K. Cramers* ... 223
Changes in some nucleoside metabolizing enzymes of lymphocytes and granulocytes from patients with cirrhosis of the liver: *J. Mejer & V. Reinicke* ... 227
Transcapillary forces in patients with lower limb ischemia: *E. Stranden & H. O. Myhre* ... 233
Doxorubicin (Adriamycin) transport to Ehrlich ascites tumour cells: comparison with transport in human red blood cells: *M. Dalmark & E. K. Hoffman* ... 241
The chlorpropamide alcohol flush test in diabetes mellitus: methods for objective evaluation: *P. Jerntorp* ... 249
Interstitial fluid pressure in human skin measured by micropuncture and wick-in-needle: *H. Wiig & H. Noddeland* ... 255
Biochemical indices of cerebral ischemic injury: *T. Bøhmer, J. Kjekshus & P. Vaagenes* ... 261

Technical Note

Ascorbic acid and test strip reactions for haematuria: *L. N. W. Daae & A. Juell* ... 267

Letter to the Editor

On the diagnostic value of 'thyroid autoantibodies': *G. Lindstedt, P.-A. Lundberg, C. Bengtsson & E. Nyström* ... 271

No. 4

Original Articles

Non invasive assessment of the internal carotid artery in stroke patients: *M. von Arbin, M. Britton, U. de Faire & P. Gustafsson* ... 275
Regional blood flow during acute heart failure in dogs. Role of adipose tissue perfusion in regulating plasma-free fatty acids: *O. A. Smiseth, R. A. Riemersma, K. Steinnes & O. D. Mjøs* ... 285
After-exercise thermography compared to strain-gauge plethysmography and venous pressure measurements to detect deep venous insuffiency: *A. Lindhagen, D. Bergqvist, T. Hallböök & B. Lindroth* ... 293
Variations in blood viscosity in patients with acute cardiogenic pulmonary oedema treated with frusemide: *T. Jahnsen, F. Skovborg, F. Hansen, J. Larsen, H. Nordin & T. Storm* ... 297
An easy and reliable radioimmunoassay of serum androstenedione: age-related normal values in 252 females aged 2 to 70 years: *L. Hummer, M. D. Nielsen & C. Christiansen* ... 301
γ-Glutamyl transferase bound to prostatic subcellular organelles and in free form in human seminal plasma: *H. Lilja & H. Weiber* ... 307
On the rationale of the α-hydroxybutyrate dehydrogenase (HBD) determination: *K. Ojala & T. Weber* ... 313
Erythrocyte contents of electrolytes (Na,K,Mg,Zn) in healthy male controls and offspring to established hypertensive patients: a follow-up study: *D. Nelson & N. C. Henningsen* ... 317
Estimation of lipid assimilation from faecal samples using ^{14}C-triolein as tracer and $^{51}CrCl_3$ as non-absorbable marker: *N. Thorsgaard Pedersen* ... 323
Serum levels of 25-hydroxyvitamin D in adults and elderly humans after a prophylactic dose of vitamin D_2: *G. Toss, L. Larsson & S. Lindgren* ... 329
Changes in bone mineral content of the axial skeleton in relation to aging and the menopause. Results from a longitudinal population study of women in Gothenburg, Sweden: *O. Lindquist, C. Bengtsson, T. Hansson & R. Jonsson* ... 333
Influence of body weight on plasma catecholamine patterns in middle-aged, normotensive men: *S. E. Kjeldsen, I. Eide, I. Aakesson & P. Leren* ... 339
Increased arterial catecholamine concentrations in 50-year-old men with essential hypertension: *S. E. Kjeldsen, I. Eide, I. Aakesson & P. Leren* ... 343

Symposium Report

Update on clinical thyroidology: *A. Carlström, P.-A. Dahlberg, U.-B. Ericsson, F. A. Karlsson, B. Kågedal, G. Lindstedt, K. Lundholm, P. Nilsson-Ehle, E. Nyström, J. Thorell, L.-E. Tisell & S. Valdemarsson* ... 351

No. 5

Original Articles

Comparison of six assays for glycosylated haemoglobin determination: *H. B. Mortensen, L. Nielsen, U. Søegaard, P. Aa. Svendsen & J. Nerup* 357

Blood carboxyhaemoglobin per cent saturation in children: *L.-O. Hansson, N.-I. M. Kjellman, J. Ludvigsson & B. Lundh* 363

Haptoglobin concentrations in children aged 9–10 years and its correlation to indirect parameters of erythrocyte turnover: *L.-O. Hansson, N.-I. M. Kjellman, J. Ludvigsson, B. Lundh & G. Tibbling* 367

The polymorphs of calcium carbonate in human gall stones: *H. G. Bogren* 371

Pulmonary excretion of methanol in man: *D. Jacobsen, S. Øvebrø, E. Arnesen & P. N. Paus* 377

Transcapillary forces in subcutaneous tissue of patients following operation for lower limb atherosclerosis: *E. Stranden* 381

The role of the sympathetic nervous system in atropine-induced tachycardia in conscious cats: *G. E. Samonina & M. O. K. Hakumäki* 389

Ouabain-binding and ^{86}rubidium-uptake in lymphocytes of normal and borderline hypertensive subjects: *J. R. Nielsen, K. E. Pedersen, T. Johansen & N. A. Klitgaard* 393

Factors influencing serum free T_4 in 70-year-old men. Implications for reference intervals in the elderly: *G. Lindstedt, S. Edén, R. Jagenburg, P.-A. Lundberg, D. Mellström, A. Odén & A. Svanborg* 401

Estimation of ^{14}C-triolein assimilation from postprandial serum radioactivity of ^{14}C: *N. Thorsgaard Pedersen* 415

The γ-trace concentration of normal human seminal plasma is thirty-six times that of normal human blood plasma: *A. O. Grubb, H. Weiber & H. Löfberg* 421

L-Pyroglutamyl-L-prolyl-L-valine-p-nitroanilide, a highly specific substrate for granulocyte elastase: *J. A. Kramps, Ch. van Twisk & A. C. van der Linden* ... 427

Assay of cortisol with a radioimmunoassay method calibrated by isotope dilution–mass spectrometry. A Nordic collaborative study: *O. Lantto, B. Lindbäck, A. Aakvaag, M. Damkjaer-Nielsen, U.-M. Pomoell & I. Björkhem* 433

The analytical variation and mean difference of serum lipid values in duplicate samples subjected to different times of storage: *T. Haider & O. P. Foss* ... 439

The effect of phospholipase C in sheep: *E. Carlsen, Ø. Hetland & C. F. Lindboe* 445

Technical Note

Ferene-S as the chromogen for serum iron determinations: *S. Eskelinen, M. Haikonen & S. Räisänen* 453

No. 6

Editorial Review

Abbreviations and symbols for clinical chemical quantities: *O. Siggaard-Andersen* 457

Original Articles

Simultaneous determination of tryptophan and its 5-hydroxy metabolites in human cerebrospinal fluid by reversed phase liquid chromatography with electrochemical detection: *J. T. Laakso, M.-L. Koskiniemi, O. Wahlroos & M. Härkönen* ... 463
Selenium levels in whole blood of Finnish volunteers before and during organic and inorganic selenium supplementation: *K. Jaakkola, J. Tummavuori, A Pirinen, P. Kurkela, M. Tolonen & A. U. Arstila* ... 473
Detection of bilirubin conjugates in faeces of germfree rats: *H. Saxerholt, T. Midtvedt & B. E. Gustafsson* ... 477
Preparation of ^{125}I-(Tyr 3)- and ^{125}I-(Tyr 11)-neurotensin for radioimmunoassay: *J. H. Pedersen, F. Stadil & H. Fahrenkrug* ... 483
Studies of blood viscosity with a newly constructed rotational viscometer which operates via a desk top computer: *H. Larsson, H. Odeberg & L. Bohlin* ... 493
Interstitial albumin mass and transcapillary extravasation rate of albumin in DMBA-induced rat mammary tumours: *R. K. Reed & H. Wiig* ... 503
Enzyme-linked immunosorbent assay (ELISA) for direct quantification of surface-bound platelet immunoglobulins: *O. Paaske Hansen, C. Overballe & E. Hippe* 513
Measurements of some blood clotting factors using a centrifugal analyser (Multistat III): *N. J. Christensen* ... 521
Ligand leakage from immunoaffinity column: *H. von Schenck & R. H. Unger* ... 527
Plasma fibronectin concentrations in patients with liver diseases: *C. Gluud, A. Dejgaard & I. Clemmensen* ... 533

Technical Note

Continuous pH monitoring with monocrystalline antimony electrodes: toxicity considerations from studies on heparinized human plasma: *E. Nilsson & G. Edwall* 539

Letters to the Editor

The clearance concept. Equation of definition: *O. Siggaard-Andersen* ... 543
A note on the concept of clearance: *W. P. Paaske* ... 545

No. 7

Editorial Review

Lipolytic enzymes and lipoprotein alterations in thyroid dysfunction: *P. Nilsson-Ehle, S. Valdemarsson & P. Hedner* 547

Original Articles

Characterization of the molecular forms of immunoreactive parathyroid hormone in primary hyperparathyroidism and in hyperparathyroidism due to renal failure: *K. M. Gautvik, V. T. Gautvik & J. F. Halvorsen* 553
Insulin sensitivity in alcoholic cirrhosis: *J. Iversen, H. Vilstrup & N. Tygstrup* ... 565
Methods of reducing the effect of spontaneous dissociation of antigen-antibody interactions in radioimmunoassays with special reference to internal sample attenuator counting (ISAC): *H. Eriksson, I. Larsson, J. I. Thorell & B. Mattiasson* 575
Uracil-DNA glycosylase and deoxyuridine triphosphatase: studies of activity and subcellular location in human normal and malignant lymphocytes: *J. A. Vilpo & H. Autio-Harmainen* 583
Serum histidine-rich glycoprotein during pregnancy and hormone treatment: *M. Haukkamaa, W. T. Morgan & P. Koskelo* 591
Fasting plasma somatostatin in alcoholic liver disease: *H. Kelbaek, B. Tronier, M. Bahnsen, S. Munkgaard & H. Pedersen* 597
Bile acids in plasma of patients without kidneys: *A. Bremmelgaard* 603
The *in vivo* metabolism of C3 in human glomerulonephritis and after renal transplantation: *L. Brinch, I. Aakesson, P. Teisberg & E. Enger* 609
Cardiac output measurements with thermodilution and radioactive microspheres. A comparative study in cats: *S. Arvidsson, D. Bergqvist, U. Haglund & B. Lindblad* 617
Removal of contaminating erythrocytes from human polymorphonuclear leucocyte preparations: *W. A. Phillips, C. S. Hosking & M. J. Shelton* 621
Nuclear specific thyroxine binding in human mononuclear blood cells: *J. Kvetny* 629
Cardiovascular effects of secretin infusion in man: *P. Gunnes, H. L. Waldum, K. Rasmussen, H. Østensen & P. G. Burhol* 637

Letter to the Editor

Effect of heparin *in vivo* on the *in vitro* assay of free thyroxine: *G. Lindstedt, P.-A. Lundberg, R. Jagenburg & E. Nyström* 643

Original Articles

Regional myocardial tissue blood flow during sequential β_1- and β_2-adrenergic blockade in cat hearts with acute ischaemia: *K. Grong, L. Stangeland & J. Lekven* ... 647

Methodological aspects on the firefly luciferase assay of adenine nucleotides in whole blood and red blood cells: *T. Olsson, H. Gullikkson, M. Palmeborn, K. Bergström & A. Thore* ... 657

The effect of fasting and time of day on the urinary excretion of chondroitin 4/6 sulphate, dermatan sulphate and four chondroitinase ABC resistant glycosaminoglycans: *J. H. Poulsen & H. Gregersen* ... 665

Serum LDL cholesterol, the LDL/HDL cholesterol ratio and liver microsomal enzyme induction evaluated by antipyrine kinetics: *P. V. Luoma, E. A. Sotaniemi & A. J. Arranto* ... 671

Insulin resistance—a risk factor for coronary heart disease? *P. Garcia-Webb, A. M. Bonser, D. Whiting & J. R. L. Masarei* ... 677

Reactivity of amniotic fluid alpha-fetoprotein with concanavalin A-sepharose in pre-natal diagnosis of fetal malformations: *K.-L. Kolho, P. Kuusela, M. Heikinheimo & H. Jalanko* ... 687

Iron, copper, zinc and selenium in human liver tissue measured by X-ray fluorescence spectrometry: *N. Milman, J. Laursen, J. Pødenphant & P. Staun-Olsen* 691

Optimal screening for patients with hyperparathyroidism with use of serum calcium observations. A decision-theoretical analysis: *T. L. Groth, S. Ljunghall & C.-H. de Verdier* ... 699

The effect of temperature on plasma ionized calcium measured in whole blood *in vitro: M. P. D. Heining, D. M. Band & R. A. F. Linton* ... 709

An angiotensin I-protein complex isolated by SDS-polyacrylamide gel electrophoresis from rat serum incubated with angiotensin I: *E. Lauritzen & I. Rubin* 715

Plasma fibronectin concentration in patients with chronic renal failure and treated with haemodialysis: *H. O. Eriksen, L. Tranebjærg, I. Clemmensen, H. Kjersem & O. Skjoldby* ... 723

A wet chemistry method for the analysis of urinary calculi: *A. Uldall* ... 727

Effects of serum from trypsin inhibitor fed rats on enzyme secretion and protein synthesis by exocrine pancreatic cells: *B.-M. Toregard, I. Ihse & A. Nilsson* ... 735

Characteristics of labile HbA_1 in erythrocytes from normals and diabetics: *S. Wettre, A. Arnqvist & H. von Schenck* ... 739

Technical Note

Rapid diagnostic tests for glucosuria are still influenced by ascorbic acid: *L. N. W. Daae & A. Juell* ... 747

List of Referees for 1983 ... 751